



[BCIS Home](#) |
 [Log In](#) |
 [User Registration](#) |
 [Hot Topics](#) |
 [Submit Surcharge](#) |
 [Stats & Facts](#) |
 [Publications](#) |
 [Contact Us](#) |
 [BCIS Site Map](#) |
 [Links](#) |
 [Search](#)



Product Approval
USER: Public User

[Product Approval Menu](#) > [Product or Application Search](#) > [Application List](#) > **Application Detail**

OFFICE OF THE SECRETARY

FL #	FL22037-R3														
Application Type	Revision														
Code Version	2020														
Application Status	Approved														
Comments															
Archived	<input type="checkbox"/>														
Product Manufacturer	Origin USA, Inc.														
Address/Phone/Email	771 Commerce Drive Suite 16 Venice, FL 34229 (717) 824-2259 Ben.Halvorsen@origin-global.com														
Authorized Signature	Lucas Turner Luke@TurnerEC.com														
Technical Representative	Jakub Zahradil														
Address/Phone/Email	771 Commerce Drive Suite 16 Venice, FL 34292 (941) 486-4269 Jakub.Zahradil@origin-global.com														
Quality Assurance Representative															
Address/Phone/Email															
Category	Exterior Doors														
Subcategory	Swinging Exterior Door Assemblies														
Compliance Method	Evaluation Report from a Florida Registered Architect or a Licensed Florida Professional Engineer <input type="checkbox"/> Evaluation Report - Hardcopy Received														
Florida Engineer or Architect Name who developed the Evaluation Report	Lucas A. Turner														
Florida License	PE-58201														
Quality Assurance Entity	National Accreditation and Management Institute														
Quality Assurance Contract Expiration Date	12/31/2023														
Validated By	Scott Wolters, PE <input checked="" type="checkbox"/> Validation Checklist - Hardcopy Received														
Certificate of Independence	FL22037_R3_COI_EvalReport-FPA-Easifold-LM-HVHZ-B.pdf														
Referenced Standard and Year (of Standard)	<table border="0"> <thead> <tr> <th style="text-align: left;">Standard</th> <th style="text-align: left;">Year</th> </tr> </thead> <tbody> <tr> <td>AAMA/WDMA/CSA 101/I.S.2/A440</td> <td>2008</td> </tr> <tr> <td>ASTM E 1886-13a</td> <td>2013</td> </tr> <tr> <td>ASTM E 1996-17</td> <td>2017</td> </tr> <tr> <td>ASTM E 283-04(12)</td> <td>2004</td> </tr> <tr> <td>ASTM E 330-02</td> <td>2002</td> </tr> <tr> <td>ASTM E 331-00(09)</td> <td>2000</td> </tr> </tbody> </table>	Standard	Year	AAMA/WDMA/CSA 101/I.S.2/A440	2008	ASTM E 1886-13a	2013	ASTM E 1996-17	2017	ASTM E 283-04(12)	2004	ASTM E 330-02	2002	ASTM E 331-00(09)	2000
Standard	Year														
AAMA/WDMA/CSA 101/I.S.2/A440	2008														
ASTM E 1886-13a	2013														
ASTM E 1996-17	2017														
ASTM E 283-04(12)	2004														
ASTM E 330-02	2002														
ASTM E 331-00(09)	2000														

Equivalence of Product Standards
Certified By

Florida Licensed Professional Engineer or Architect
[FL22037_R3_Equiv_Easifold-B_Equivalency.pdf](#)

Sections from the Code

Product Approval Method

Method 1 Option D

Date Submitted

10/21/2020

Date Validated

10/26/2020

Date Pending FBC Approval

10/28/2020

Date Approved

12/16/2020

Summary of Products

FL #	Model, Number or Name	Description
22037.1	Easifold 3000 Door	Easifold 3000 Inswing/Outswing Swinging/Folding Door - LM Impact HVHZ
Limits of Use Approved for use in HVHZ: Yes Approved for use outside HVHZ: Yes Impact Resistant: Yes Design Pressure: +50/-55 Other: See Installation Instructions and Evaluation Report for additional details and limitations of use.		Installation Instructions FL22037_R3_II_FPA-EasiFold-LM-HVHZ-B.pdf Verified By: Lucas A. Turner PE #58201 Created by Independent Third Party: Yes Evaluation Reports FL22037_R3_AE_EvalReport-FPA-Easifold-LM-HVHZ-B.pdf Created by Independent Third Party: Yes
22037.2	Easifold 3000 Door	Easifold 3000 Inswing/Outswing Swinging/Folding Door - LM Impact Non-HVHZ
Limits of Use Approved for use in HVHZ: No Approved for use outside HVHZ: Yes Impact Resistant: Yes Design Pressure: +50/-55 Other: See Installation Instructions and Evaluation Report for additional details and limitations of use.		Installation Instructions FL22037_R3_II_FPA-EasiFold-LM-NonHVHZ-B.pdf Verified By: Lucas A. Turner PE #58201 Created by Independent Third Party: Yes Evaluation Reports FL22037_R3_AE_EvalReport-FPA-Easifold-LM-NonHVHZ-B.pdf Created by Independent Third Party: Yes
22037.3	Easifold 3000 Door	Easifold 3000 Inswing/Outswing Swinging/Folding Door - Non-Impact
Limits of Use Approved for use in HVHZ: No Approved for use outside HVHZ: Yes Impact Resistant: No Design Pressure: N/A Other: See Installation Instruction drawings Sheet 2B for Design Pressure Chart. See Installation Instructions and Evaluation Report for additional details and limitations of use.		Installation Instructions FL22037_R3_II_FPA-EasiFold-NI-B.pdf Verified By: Lucas A. Turner PE #58201 Created by Independent Third Party: Yes Evaluation Reports FL22037_R3_AE_EvalReport-FPA-Easifold-NI-B.pdf Created by Independent Third Party: Yes

[Back](#) [Next](#)

Contact Us :: 2601 Blair Stone Road, Tallahassee FL 32399 Phone: 850-487-1824

The State of Florida is an AA/EEO employer. [Copyright 2007-2013 State of Florida.](#) :: [Privacy Statement](#) :: [Accessibility Statement](#) :: [Refund Statement](#)

Under Florida law, email addresses are public records. If you do not want your e-mail address released in response to a public-records request, do not send electronic mail to this entity. Instead, contact the office by phone or by traditional mail. If you have any questions, please contact 850.487.1395. *Pursuant to Section 455.275(1), Florida Statutes, effective October 1, 2012, licensees licensed under Chapter 455, F.S. must provide the Department with an email address if they have one. The emails provided may be used for official communication with the licensee. However email addresses are public record. If you do not wish to supply a personal address, please provide the Department with an email address which can be made available to the public. To determine if you are a licensee under Chapter 455, F.S., please click [here](#).

Product Approval Accepts:



